

2026 Consensus Statement 1 by the IDSA and ESCMID on Risk Stratification of Patients with SAB

Clinical question 1

In patients with SAB, which risk factors are associated with deep-seated or metastatic foci of infection (e.g., infective endocarditis, osteomyelitis, deep tissue abscess, septic thrombophlebitis, cardiac device-associated infection, septic arthritis) or relapse of infection?

Supplementary Material

CONTENTS

Conflicts of Interest of Panelists
Approval Process
Process for Updating
Other Tables and Figures
Definitions and comments
Abbreviations
Search strategies
References

Conflicts of Interest

All members of the expert panel complied with the IDSA policy on conflict of interest (COI), which requires disclosure of any financial, intellectual, or other interest that might be construed as constituting an actual, potential, or apparent conflict. Evaluation of such relationships as potential conflicts of interest was determined by a review process which included assessment by the Standards and Practice Guideline Subcommittee (SPGS) Chair, the SPGS liaison to the Guideline panel, and the Board of Directors liaison to the SPGS, and if necessary, the COI Taskforce of the Board. This assessment of disclosed relationships for possible COI was based on the relative weight of the financial relationship (i.e., monetary amount) and the relevance of the relationship (i.e., the degree to which an independent observer might reasonably interpret an association as related to the topic or consensus statement of consideration). The reader of these guidelines should be mindful of this when the list of disclosures is reviewed.

Possible conflicts of interest (COI)

The panelists have reported the following disclosures with the indicated companies: **C.A.A.** Serves as a writer for UptoDate and editor in Chief for AAC for the American Society for Microbiology; is named as inventor of a patent application (# 64/002,464); has received a researched grant from Entasis Pharmaceuticals; has served as a standing member of the Microbiology and Infectious Diseases Study Section and Chair of AIRT (Anti-infective Resistance and Targets) with NIH/NIAID; served as a member of the Physician Scientist Development Committee for the American Society for Clinical Investigation and the Anti-infective Pipeline Panel for the World Health Organization. The following relationships were divested prior to joining the panel: Promotional (non-CME) Speakers Bureau for Pfizer, The Medecins Company, Merck, and Actavis; research grants from Merck, The Medecins Company, Actavis, Theravance and MeMed Diagnostics; and advisor for Merck, Theravance, and Bayer Global. **D.B.** serves as an editor for Sanford Guide. **T.B.** serves as a research consultant for MSD and Pfizer; receives an honorarium from GSK; receives research funding from Simonsen Foundation; has received honoraria from Pfizer and Gilead Sciences; has served as an advisor for GSK, Abbvie, Astra Zeneca, Boehringer Ingelheim, Janssen, Pfizer, Gilead, MSD, Moderna, Shionogi; and has received research funding from Medimmune, Innovationsfonden, National Institutes of Allergy and Infectious Diseases, Aarhus University, Denmark, Roche, Novartis, Bavarian Nordic, Janssen, MSD, CSL Seqirus, Simonsen Foundation, Gilead, and Lundbeck Foundation. **H.W.B.** serves as an editor for Sanford Guide; serves as Editor, ID Clinics of North America for Elsevier; receives a research grant from NIH's ARLG; has served as an advisor for Actelion, Merck, Cardeas; received remuneration from ABIM and ASM; has received honoraria from NIH and Elsevier; has provided expert testimony for CRICO; has served as Member and Chair, Board of Trustees for Physicians of Tufts Medical Center and College of Holy Cross; and has served as Member of the ID Test Committee and Member and of the ID Board for the American Board of Internal Medicine; and has served as Editor, AAC for ASM. **A.J.C.** receives research funding

from NIHR, CARB-X, and UKRI; serves on Conference Organizing Committee and has served as the Chair of Committee for Scientific Affairs and Awards for the European Society for Paediatric Infectious Disease; has served on Conference Organizing Committee for the European Congress on Tropical Medicine and International Health; has received research funding from the European Commission, UK Research and Innovation, European and Developing Countries Clinical Trials Partnership, EU Horizon 2020, and Rosetrees Trust; spouse is a former employee of GlaxoSmithKline. **V.F.** serves as a research consultant for GSK, Akagera, AstraZeneca, and Armata; serves as a research advisor for Basilea and Debiopharm; receives a grant through Duke/DCRI from Basilea, from Exponential Deep Examination // Research of Technologies and Biophotonics, Ltd., AstraZeneca, Contrafact, Merck, Karius, Janssen, and NIH; receives royalties from UpToDate; stock options from Valanbio; patent pending sepsis diagnostic; has served as an advisor for Pfizer, Truist/Cubist/Merck, Novartis, Defined Healthcare Research, Insyght; has served as a consultant for LEK and Novadigm; received research grants from Cubist/Merck, Cerexa/Forest/Actavis/Allergan, Genentech, Medimmune, Medimmune, Advanced Liquid Logic; has coauthored chapters in UpToDate; and has served as a contact PI for an NIH leadership group. **M.H.** serves as a writer for UpToDate; and has received project funding from the World Health Organization. **A.J.K.** receives research funding from the Federal Ministry of Research, Technology and Space (BMFTR), from Ministerium für Wissenschaft, Energie Klimaschutz und Umwelt des Landes Sachsen-Anhalt (MWU); has served as a scientific consultant for the German Center for Infection Research (DZIF), for Staatskanzlei des Landes Sachsen-Anhalt, and Institut für Medizinische und Pharmazeutische Prüfungsfragen (IMPP); has received payments for lectures by Landesärztekammer Sachsen-Anhalt, Donau University Krems, Austria, Limbach Group, Deutsche Gesellschaft für Infektiologie (DGI), and AMEOS KH Labor GmbH; has received research grants from Deutsche Forschungsgemeinschaft (DFG) and served as site principal investigator in clinical studies funded by the European Union; has served as Chairperson for the German Sepsis Society (DSG). **W.V.K.** has received research funding from Baden-Württemberg Federal State Ministry of Science and Art, MSD, BMS, Janssen, Gilead, ViiV; has received honoraria from Gilead; has served as a consultant for Roche, Stiftung Warentest; has received an organizational benefit from Akademie für Infektionsmedizin; and has served as programme director and chair for ESCMID. **V.L.M.** has served as a marketing consultant for Sanofi Aventis and Advanz; has served as a research advisor for Pfizer; has received sponsorship from Advanz Pharma; has received funding from ANRS and French Ministry of Health; has served as a scientific advisor for Advanz Pharma; and has served as a marketing advisor for Gilead. **C.L.** receives research funding from SNIPR Biome; has served as a member of an independent efficacy adjudication committee for Theravance and clinical events committee for DCRI/ ARLG; and has received research funding from NIAID/NIH, Pfizer, University of Queensland, Houston Methodist Hospital, and Johns Hopkins University. **M.J.L.** receives

research funding from National Institute for Health Research (NIHR) (UK); has served as an advisor for Genentech; has received remuneration from Pfizer; has served as a research consultant for Infectopharm and Astellas; has served as a member of NIHR Clinical Research Network; and has received research funding from NIHR Research Healthcare Technology Appraisal Panel (UK), Medical Research Council, Joint Programme Initiative on Antimicrobial Resistance, and ESCMID. **E.L.C.** has participated with the Promotional (non-CME) Speakers Bureau for Merck Sharp and Dohme and Angellini; has served as an advisor for Angellini, Glaxosmithkline, Gilead, Correvio, ViiV Healthcare, Merck, Sharp and Dohme, and Menarini; has received research funding from IDIBELL and Instituto de Salud Carlos III (Ministry of Health, Social Services and Equality, University of Cologne, Deutschland, and JPI-EC-AMR Joint Transnational, CIDARA; has received an honorarium and other remuneration from Merck Sharp and Dohme; and has served as a consultant for Correvio and Angellini. **J.C.M.** receives research funding from Merck; receives royalties from Up To Date; and has received research funding from Nabriva Therapeutics, NIH, AHRQ, and Allergan. **L.M.** receives research funding from Paratek and Armata; has received research funding from ContraFect, NIH, CDC, AHRQ, GSK, Merck; and has received remuneration from Cepheid, Xbio, Theravance, Gilead, Acchaogen, GSK, and Genentech. **M.P.** serves as editor for ESCMID; receives academic funding from ERANET JPIAMR; has received a research grant through Rambam Health Care Campus from Pfizer; has received academic funding from H2020-JTI-IMI2-2017, IMI, EU, 7th FP, The Israel National Institute for Health Policy Research, Israel Ministry of Science, Israel Science Foundation, the European Commission, Shionogi, and Israel Ministry of Health. **K.J.P.** receives research funding from NIH; has served as a member of the Society for Healthcare Epidemiology of America; has served as a member of CDC/American Hospital Association/Health Research and Educational Trust and SHEA/CDC; and has received research funding from NIAID and CDC. **S.R.** receives honoraria for lectures from Akademie für Infektionsmedizin, Med Update GmbH, streamedup! GmbH, Forum für medizinische Fortbildung, Meet The Experts Academy, Deutscher Apotheker-Verlag, Deutsches Beratungszentrum für Hygiene, Pfizer, bioMérieux, GSK, and Falk Foundation; serves as an elected member of the Steering Committee of The German Society for Infectious Diseases (DGI); has served on the Promotional (non-CME) Speakers Bureau for MSD and Pfizer; has received remuneration from Astellas, Falk Foundation, MedUpdate GmbH; has served as an Executive Committee member of the German Infectious Diseases Society; has received research funding from DLR/Innovationsfonds GBA, BMBF, the Federal Ministry of Education and Research, from the German Research Foundation and the European Union, and from University Medical Center Freiburg; and has received honoraria from Dt. Apotheker-Verlag, Deutsches Beratungszentrum für Hygiene, and Paul-Ehrlich Society for Chemotherapy. **M.R.** serves as a content reviewer for UpToDate and DynaMedex; serves as a member of the scientific advisory board for Citius Pharmaceuticals; serves on an editorial board for a SHEA journal

(ASHE); has served as a consultant for XBiotech, CR Bard, 3M, Teleflex, Allegra, and Medpace; has received research funding from Magnolia, ContraFect, NIH/DCRI; and was a liaison to CDC for SHEA. **M.S.** receives lecture honoraria from various universities; serves as chair of advisory board for DoseMe; receives research grants from NIH/FDA, University of Pennsylvania, and University of Michigan; serves on the Board of Directors with the American College of Clinical Pharmacy; serves as Associate Editor for International Journal of Antimicrobial Agents; is a co-owner of SafeGate Therapeutics, LLC; and owns a patent; has provided expert testimony for Chambless, Higdon, Richardson, Katz & Griggs, LLP, for Hall, Booth, Smith, P.C., for Reminger Co., L.P.A., and for Taylor, English, Duma, LLP; has served as a legal consultant for Duke ARLG, Chambless, Higdon, Richardson, Katz & Griggs, LLP, for Hall, Booth, Smith, P.C., and for Reminger Co., L.P.A.; has served as a consultant or advisor for Innoviva, Abbvie, Guidepoint Global, Roche, Spero, Seikagaku Corporation, Meitheal Pharmaceuticals, Inc., Chattem, Inc., Xellia, Duke/ARLG, ARK, Cidara, Third Pole Therapeutics, F2G, Merck, Takeda, Nevakar, Achaogen, Paratek, Bayer, SuperTrans Medical, University of Michigan, Premier Healthcare Solutions, iFAST, DoseMe, Inc, Lykos Therapeutics; has received research funding from Cystic Fibrosis Foundation, Allegra, Nevakar, Hauser, DHHS/FDA/OAGS/DAO, NIAID, Midwestern University Intramural, Cubist Pharmaceuticals, Illinois Department of healthcare, CARE Foundation, International Institute for Nanotechnology Seed Project; received remuneration from NIH, ASHP, SuperTrans Medical, Cystic Fibrosis Foundation, Taylor, English, Duma, LLP, Allegra, Merck, SIGA Technologies, CARE Foundation, Astellas, Allergan, UIC, Premier Inc.; and has received honoraria from St. Jude, Monash University, SHEA, Roosevelt University, ACCP, MAD-ID, NIH, University of Cincinnati. **A.S.** serves on the Promotional (non-CME) Speakers Bureau for Shionogi, Menarini, and Pfizer; receives research funding from Gilead and Advance Pharma; has served as a research and marketing advisor for Pfizer; has served as a research consultant for Pfizer and Advance Pharma; has served on the Promotional (non-CME) Speakers Bureau for Merck Sharp and Dohme, Angelini, Novartis, and Gilead; has received research funding from Fondos de Investigación Sanitari, Gilead, and Pfizer; and has served on the Promotional (non-CME) Speakers Bureau for Gilead. **B.S.** receives funding from Analog Devices; has served on the advisory board for Basilia Pharmaceutica; has served on the advisory board for MicroGenDx; has served as a panel member for ARLG; has received research grants from NIAID and DARPA; and has served as a consultant for Pfizer and Regeneron. **L.S.** has received research funding from NID/NIAID/DMID. **H.C.**'s spouse has stocks in Merck; has stock in Moderna; serves on a Data Safety Monitoring Board for Merck; serves as a consultant for GSK; receives funding from NIH; serves as an editor of the Sanford Guide to Antimicrobial Therapy; has served as a past editor on Antimicrobial Agents and Chemotherapy with ASM; receives research funding from NIH/NIAID; has provided expert testimony for Lilly and Nexus; had stock in Merck; has served as an advisor to TAXIS, Theravance, Allergan, Anacor, Genetech, Cempras, and Quorum; has received past

research funding from NIH, Allergan, The Medicine Company, and Genentech. **S.Y.C.T.** serves as a research advisor for AstraZeneca; receives research funding from NHMRC and NIH; receives royalties from UpToDate; has served as an advisor for Roivant; has served as a member of ESCMID; has received research funding from BHP, Minderoo, Macquarie Group, Pratt Foundation, NHMRC, and MRFF; has served as a member of an expert writing group for Therapeutic Guidelines: Antibiotic; and has served as a steering committee member for WikiGuidelines. **F.V.** serves as co-funder and medical director of Weezion; receives funding from the French National Research Agency; and has received research funding from bioMérieux, European community, FINOVI Foundation, Boaster Technology Research Agency, and Ministry of Health.

No disclosures were reported from **B.H.**

Review and Approval Process

Feedback was obtained from three external peer expert reviewers, and involved organizations, i.e., SIDP (Society of Infectious Diseases Pharmacists), European Society of Clinical Microbiology and Infectious Diseases (ESCMID), Pediatric Infectious Diseases Society (PIDS), American Society of Health-System Pharmacists (ASHP), and the Society for Healthcare Epidemiology of America (SHEA). In addition, the guideline was reviewed by the IDSA Standards and Practice Guidelines Subcommittee (SPGS) and the IDSA Board of Directors. After review and approval by the various organizations and reviewers, the guideline was posted online prior to publication to facilitate a public comment period requesting feedback on the full guideline. The panel reviewed the feedback from the public comment phase and updated the guideline prior to final approval by the IDSA SPGS and Board of Directors.

Process for Updating

IDSA guidelines and consensus statements are regularly reviewed for currency. The need for updates to the guidelines and consensus statements is determined by a scan of current literature and the likelihood that any new data would impact the consensus statement. Any changes to the consensus statement will be submitted for review and approval to the appropriate Committees and Board of IDSA.

Other Tables and Figures

Table 1: Characteristics of included studies for risk factor analysis

Study	Design and SAB enrollment	N	Site (n) and Country	Age	% Female	SAB population
Albertson 2015 [1]	Retrospective observational, Consecutive	18425	Multi-site (122), United States	Adults (Median 64 yrs.)	3	MRSA only
Berge 2023 [2]	Population-based retrospective, Consecutive	274	Multi-site (NR), Sweden	Adults (Median 82 yrs.)	27	SAB with a cardiac implantable device
Chang 2003 [3]	Prospective observational, Consecutive	505	Multi-site (6), United States	Adults (Mean 55 yrs.)	NR	All SAB
Choi 2021 [4]	Prospective observational, Consecutive*	759	Single, United States	Adults (NR)	40	Non-neutropenic SAB
Finkelstein 2012 [5]	Prospective observational, Consecutive	303	Single, Israel	Adults (Median 69 yrs.)	37	Hospital-acquired, non-recurrent SAB
Gallego Rodriguez 2024 [6]	Retrospective observational, Consecutive	256	Multi-site (2), Spain	Adults (Mean 65 yrs.)	32	Peripheral venous catheter associated SAB
Gasch 2014 [7]	Retrospective observational, Consecutive	579	Multi-site (21), Spain	Adults (Mean 69 yrs.)	34	MRSA only
Gow 2015 [8]	Prospective observational, Consecutive	574	Single, New Zealand	Adults (Median 57 yrs.)	40	Non-relapsed SAB admitted and treated
Grillo 2022 [9]	Retrospective observational, Consecutive	978	Multi-site (2), Spain	Adults (Mean 65 yrs.)	34	All SAB
Hill 2007 [10]	Retrospective nested case control, not consecutive	198	Single, Belgium	Adults (Median 67 yrs.)	39	SAB w/ endocarditis matched 1:2 w/ SAB non-endocarditis cases
Inagaki 2019 [11]	Population-based retrospective, Consecutive	80166	Multi-site (NR), United States	Adults (NR)	60	Non-recurrent SAB

Joost 2017 [12]	Prospective observational, Consecutive	1069	Multi-site (2), Germany	Adults (Median 66 yrs.)	34	All SAB
Khan 2022 [13]	Retrospective observational, Consecutive	213	Single, United States	Adults (Mean 50 yrs.)	38	Without prior endocarditis
Kim 2024 [14]	Retrospective observational, Consecutive	380	Multi-site (5), South Korea	Adults (Median 66 yrs.)	38	MRSA only, non-relapsed MRSA
Kinamon 2023 [15]	Prospective observational, Consecutive ~	3147	Single, United States	Adults (Median 60 yrs.)	42	Non-neutropenic, non-recurrent SAB
Lalueza 2015 [16]	Retrospective observational, Consecutive	198	Single, Spain	Adults (Mean 62 yrs.)	32	All SAB
Lesens 2003 [17]	Retrospective observational, Consecutive	111	Single, France	Adults (Median 76 yrs.)	38	All SAB
Longobardo 2019 [18]	Retrospective observational, Consecutive	205	Multi-site (15), United States	Adults (Mean 61 yrs.)	44	SAB who underwent TTE or TEE
Ostergaard 2022 [19]	Population-based retrospective, Consecutive	13040	Multi-site (NR), Denmark	Adults (Median 70 yrs.)	37	Non-recurrent SAB
Palraj 2015 [20]	Retrospective observational, Consecutive	678	Single, United States	Adults (Mean 65 yrs.)	35	All SAB
Papadimitriou-Olivgeris 2022 [21]	Retrospective observational, Consecutive	419	Single, Switzerland	Adults (Median 67 yrs.)	29	All SAB
Perez 2018 [22]	Prospective observational, Consecutive	283	Single, Argentina	Pediatrics (Median 5 yrs.)	34	Community-onset, not line-associated SAB
Simeon 2019 [23]	Prospective observational, Consecutive^	587	Multi-site (8), France	Adults (Median 65 yrs.)	28	SAB with TTP performed except isolated catheter colonization
Souli 2019 [24]	Prospective observational, Consecutive	2348	Single, United States	Adults (Median 60 yrs.)	43	Non-neutropenic, non-recurrent SAB
Stromdahl 2025 [25]	Retrospective observational, Consecutive	1703	Single, Sweden	Adults (Median 75 yrs.)	35	Non-relapsed SAB

Szubert 2019 [26]	Randomized control trial, Consecutive	758	Multi-site (29), United Kingdom	Adults (Median 65 yrs.)	35	Eligible to be randomized to rifampin
Tubiana 2016 [27]	Prospective observational, Consecutive	2008	Multi-site (8), France	Adults (Median 67 yrs.)	36	SAB except isolated catheter colonization
Wang 2023 [28]	Retrospective observational, Consecutive	127	Single, China	Pediatrics (Median 4 yrs.)	38	Non-recurrent SAB who had a FUBC

NR: not reported; SAB: *Staphylococcus aureus* Bacteremia; TEE = transesophageal echocardiography; TTE = transthoracic echocardiography; TTP: time to positivity; FUBC: follow-up blood culture

*Part of cohort is a subset of a larger cohort (Souli 2019)

~Some of cohort is present in other cohorts (Souli 2019, Choi 2021)

^Part of cohort is a subset of a larger cohort (Tubiana 2016)

Table 2: Association between the risk factor ‘Positive blood culture obtained ≥48 hours after the first positive blood culture’ and the prioritized outcomes. Adjusted Odds Ratios (aOR) and 95% confidence intervals (CI) from multivariable analyses are shown.

Risk Factor		Positive blood culture obtained ≥48 hours after the first positive blood culture		
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Chang 2003 [3]	505	7.4	3.3 - 16.6
Infective endocarditis	Finkelstein 2012 [5]	303	45.6	6.1 - 339.7
Infective endocarditis	Gallego Rodriguez 2024 [6]	256	8.2	1.8 - 36.2
Infective endocarditis	Gow 2015 [8]	574	2.9	1.4 - 6.0*
Infective endocarditis	Grillo 2022 [9]	978	3.6	2.2–5.8
Infective endocarditis	Hill 2007 [10]	198	6.8	2.3 - 20.2
Infective endocarditis	Longobardo 2019 [18]	205	1.9	1.2–3.0
Infective endocarditis	Palraj 2015 [20]	678	5.2	2.6 - 9.6
Infective endocarditis	Papadimitriou-Olivgeris 2022 [21]	419	1.3	1.0 - 1.7
Infective endocarditis	Tubiana 2016 [27]	2008	3.9	2.8 - 5.7
Deep-seated or metastatic foci of infection	Gallego Rodriguez 2024 [6]	256	3.5	1.5 - 8.4
Deep-seated or metastatic foci of infection	Gasch 2014 [7]	579	4.2	2.3 - 7.8
Deep-seated or metastatic foci of infection	Kim 2024 [14]	380	2.7	1.4 - 5.3
Deep-seated or metastatic foci of infection	Kinamon 2023 [15]	3147	3.6	2.4 - 5.3
Deep-seated or metastatic foci of infection	Perez 2018 [22]	283	2.4	1.1 - 5.8
Deep-seated or metastatic foci of infection	Wang 2023 [28]	127	6.4	2.0 - 19.7
Relapse of infection	Albertson 2015 [1]	18425	2.3**	1.9 – 2.9

*95% confidence interval was estimated from the p-value. **adjusted hazard ratio

The reference point for calculating the timing of the FUBC reported in each study is as follows: a) from the time of the first positive blood culture [1, 5, 8, 14, 18, 20, 21, 27, 28]; b) from the time of antibiotic treatment start, without comment on treatment efficacy [9]; c) from the time of “active” or “appropriate” antibiotic treatment [3, 6, 7, 10, 15, 22]

Table 3: Association between the risk factor ‘Community-onset SAB’ and the prioritized outcomes

Risk Factor		Community-onset SAB		
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Berge 2023 [2]	274	3.8	1.6 - 9.3
Infective endocarditis	Chang 2003 [3]	505	2.9	1.4 - 4.9
Infective endocarditis	Gow 2015 [8]	574	3.6	1.6 - 8.1*
Infective endocarditis	Ostergaard 2022 [19]	13040	2.1	1.9 - 2.4
Infective endocarditis	Palraj 2015 [20]	678	5.0	2.2 - 11.3
Infective endocarditis	Simeon 2019 [23]	587	3.3	1.3 - 8.4

Infective endocarditis	Stromdahl 2025 [25]	1703	2.4	1.5 - 3.8
Infective endocarditis	Tubiana 2016 [27]	2008	2.6	1.8 - 3.7
Deep-seated or metastatic foci of infection	Gasch 2014 [7]	579	3.0	1.7 - 5.6
Deep-seated or metastatic foci of infection	Joost 2017 [12]	1069	5.3	3.3 - 8.6
Deep-seated or metastatic foci of infection	Kinamon 2023 [15]	3147	3.9	2.0 - 7.6
Deep-seated or metastatic foci of infection	Lesens 2003 [17]	111	4.2	1.4 - 12.3
Deep-seated or metastatic foci of infection	Souli 2019 [24]	2348	1.8	1.3 - 2.4
Deep-seated or metastatic foci of infection	Wang 2023 [28]	127	4.8	1.3 - 16.9
Relapse of infection	Albertson 2015 [1]	18425	1.1**	1.0 - 1.3

*95% confidence interval was estimated from the p-value. **adjusted hazard ratio

In all cases, documentation of positive blood culture was within 48hrs of hospitalization for community acquired/onset. The classification of and comparator for “community-onset SAB” reported in each study is as follows:

- a) Community onset - inclusive of community acquired and healthcare associated (comparator: hospital onset) [1, 3, 7, 8, 15, 17, 28];
- b) Community acquired only - without healthcare associated (comparator: hospital onset) [2, 12, 20, 23, 25];
- c) Community acquired only - without healthcare associated (comparator: healthcare associated) [24];
- d) Community acquired only - without healthcare associated (comparator: hospital onset and healthcare associated) [19, 27].

Definitions in each study were as follows with the exception of the following studies which had small various outlined in their methods [1, 3, 8, 17, 19, 28]: *Community-acquired*: positive blood culture obtained at or within the 48 hours of hospitalization in patients who do not meet healthcare associated criteria; *Health care-associated*: positive blood culture obtained at or within the 48 hours of hospitalization in patients with one or more of a) home intravenous therapy, wound care, or specialized nursing care in 30 days before the infection; b) attended a hospital or hemodialysis clinic or received intravenous chemotherapy in the 30 days before the infection; c) hospitalized in an acute care hospital for 2 or more days in the 90 days before the infection; d) resided in a nursing home or long-term care facility; *Nosocomial/Hospital-onset*: positive blood culture obtained after 48 hours of hospitalization.

Table 4: Association between the risk factor ‘Intracardiac device (e.g., prosthetic heart valve, pacemaker, defibrillator, or other implantable cardiac device)’ and the prioritized outcomes

Risk Factor	Intracardiac device			
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Chang 2003 [3]	505	10.5	2.5 - 43.7
Infective endocarditis	Finkelstein 2012 [5]	303	72.0	10.2- 510.9
Infective endocarditis	Gow 2015 [8]	574	5.2	1.6 - 17.1**
Infective endocarditis	Hill 2007 [10]	198	9.2	3.2 - 26.2
Infective endocarditis	Khan 2022 [13]	213	32.3	5.3 - 281.0
Infective endocarditis	Longobardo 2019 [18]	205	2.0	1.3 - 3.1
Infective endocarditis	Palraj 2015 [20]	678	4.6 (ICD) / 7.9 (PPM)	2.0 - 10.4 (ICD) / 4.1 - 15.4 (PPM)

Infective endocarditis	Papadimitriou-Olivgeris 2022 [21]	419	8.2	3.2 - 20.9
Infective endocarditis	Simeon 2019 [23]	587	7.4	2.3 - 24.0
Infective endocarditis	Stromdahl 2025 [25]	1703	2.0 (ICD/PPM)/ 4.2 (prosthetic valve)	1.3 - 3.1 (ICD/PPM)/ 2.4 - 7.5 (prosthetic valve)
Infective endocarditis	Tubiana 2016 [27]	2008	7.3	4.9 - 10.9

ICD: intracardiac device; PPM: pacemaker, **95% confidence interval was estimated from p-value.

Table 5: Association between the risk factor ‘Intravenous drug use’ and the prioritized outcomes

Risk Factor	Injection drug use			
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Chang 2003 [3]	505	3.2	1.2 - 8.6
Infective endocarditis	Gow 2015 [8]	574	3.1	1.5 - 6.4*
Infective endocarditis	Longobardo 2019 [18]	205	4.0	2.3 - 7.0
Infective endocarditis	Stromdahl 2025 [25]	1703	7.6	3.1 - 18.6
Infective endocarditis	Tubiana 2016 [27]	2008	5.8	2.8 - 11.7
Deep-seated or metastatic foci of Infection	Kinamon 2023 [15]	3147	2.3	1.3 - 4.1

*95% confidence interval was estimated from the p-value.

Table 6: Association between the risk factor ‘Chronic renal failure requiring renal replacement’ and the prioritized outcomes.

Risk Factor	Chronic renal failure requiring renal replacement			
Outcome	Study	Size (n)	aOR	95%CI
Relapse of infection	Choi 2021 [4]	759	9.7 * / 4.5 **	5.4 - 17.1 * / 1.7 - 10.9 **
Relapse of infection	Inagaki 2019 [11]	80166	1.3 ***	1.1 - 1.6
Relapse of infection	Szubert 2019 [26]	758	25.2 ***	5.9 - 107.4

*Hemodialysis-dependent Black patients, **hemodialysis-dependent white patients; ***adjusted hazard ratio

Table 7: Association between the risk factor ‘Fever for ≥72 hours after start of antibiotics’ and the prioritized outcomes

Risk Factor	Fever for ≥72 hours after start of antibiotics			
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Hill 2007 [10]	198	3.1	1.0 - 9.0
Infective endocarditis	Khan 2022 [13]	213	7.0	2.4 - 21.0

Table 8: Association between the risk factor ‘Joint prosthesis not clinically infected’ and the prioritized outcomes

Risk Factor	Joint prosthesis not clinically infected			
Outcome	Study	Size (n)	aOR	95%CI
Relapse of infection	Lalueza 2015 [16]	198	17.6 *	4.5-68.9

*Adjusted hazard ratio

Table 9: Association between the risk factor ‘Central-line associated SAB’ and the prioritized outcomes

Risk Factor		Central-line associated SAB		
Outcome	Study	Size (n)	aOR	95%CI
Infective endocarditis	Gow 2015 [8]	574	0*	-*
Deep-seated or metastatic foci of infection	Souli 2019 [24]	2348	0.7	0.6-0.9

*No cases of endocarditis were observed in patients with central line-associated SAB. 95% CI was not reported.

Table 10: List of definitions and comments*

Term	Definitions and comments
Disease definition	
<i>Staphylococcus aureus</i> bacteremia (SAB)	The presence of <i>S. aureus</i> in the bloodstream, due to an infectious process. <i>S. aureus</i> is rarely a blood culture contaminant.
Bacteremic <i>Staphylococcus (S.) aureus</i> infection	Most accurate description of the disease.
<i>S. aureus</i> bloodstream infection (SAB, SABSI, SABI)	Common shorthand for bacteremic <i>S. aureus</i> infection.
Patient with SAB	Any patient with ≥ 1 positive blood culture for <i>S. aureus</i> due to infection.
Start of infection	
Onset of bacteremia	The timepoint when the first blood culture positive with <i>S. aureus</i> was drawn (recognizing that bacteremia may have been present before its collection).
Clinical onset of SAB	The time point when the first clinical symptoms caused by SAB began.
Hospital-onset SAB	Onset of bacteremia (first positive blood culture) at ≥ 48 hours after hospital admission. Delayed recognition of community-onset infection may be misclassified as hospital-onset (e.g., no blood cultures drawn until day four of the hospitalization).
Community-onset SAB	Onset of bacteremia (first positive blood culture) at < 48 hours of admission or before hospitalization. Community-acquired SAB is an alternative term, but its use is discouraged. It may be used to differentiate between "community-onset SAB without healthcare-association" (i.e., community-acquired SAB) and "community-onset with healthcare-association".
Community-onset SAB with healthcare association	Community-onset SAB with recent healthcare exposure (e.g., attending dialysis clinic, intravenous therapy, wound care, recent hospitalization, nursing home). This patient population is exposed to risks associated with healthcare settings (e.g., venous catheters).
Site of infection	
Portal of entry	The site where <i>S. aureus</i> first enters the body.

	An infection is often established at the site of barrier crossing, e.g., a skin and soft tissue infection, a respiratory infection, and, less frequently, a urinary tract infection. However, infection may or may not be present at the portal of entry, and in many cases, the portal of entry is unknown. In some cases, direct inoculation of deeper tissues occurs (e.g., trauma, surgery).
Infective focus	Body site or device with active infection. Several infective foci can be present. Alternative: "focus of infection".
Source of infection	Sometimes used interchangeably with "infective focus" but sometimes used as a synonym for "portal of entry". These other terms are generally preferred due to greater precision.
Deep-seated focus of infection	Serious complication of SAB that includes a non-cutaneous and non-intravenous line-associated site of <i>S. aureus</i> infection of deep tissues or infection in sites or organs (e.g., endocarditis, osteomyelitis, splenic abscess, psoas abscess, septic thrombophlebitis, cardiac device-associated infection).
Embolic event	Embolic events are a result of dislodgement and travel of fragments of potentially infected material (e.g., thrombus) from a primary infection site through the bloodstream to distant sites, causing infarction or secondary sites of infection. Some examples may include septic embolic to the lungs, cerebral emboli, splenic or renal infarcts and peripheral manifestations such as Janeway lesions and splinter hemorrhages.
Metastatic seeding	The process of spreading through the bloodstream to form distant foci of infection.
Metastatic focus	Infectious focus that has arisen through metastatic seeding. The term implies that there is another primary site or portal of entry (known or unknown) distinct from the metastatic focus from which bacteria have seeded. This term is often used when several foci are present and a sequence of events is likely (e.g., endocarditis with splenic metastatic foci). "Secondary focus" is an alternative term.
Primary focus	Original site of infection from which bacteria have seeded. In practice, the sequence of events cannot always be determined, and the primary focus may not be known.
Contiguous spread	Extension of the infection from an infective focus to adjacent tissues.
Superficial focus of infection	Localized, surface-level infection (e.g., skin-soft-tissue infections, cutaneous abscesses, or catheter-related infections).
Dominant focus	Focus requiring the longest or most complex treatment when multiple infective foci are present.
Classification	

Primary bacteremia	A microbiologically documented bloodstream infection without a known source (including an intravenous or arterial line infection). The term is most often used when data on the infective focus is not collected, mainly in epidemiological studies. The use of the term is discouraged outside of epidemiological studies.
Secondary bacteremia	A local infection leading to bacteremia (e.g., bacteremic skin and soft tissue infection). Easily confused with secondary focus; therefore, use is discouraged.
Complicated SAB	SAB with infection of deep tissues or organs (e.g., endocarditis and other endovascular structures, osteomyelitis, septic arthritis, myositis, kidney, deep tissue planes), relapse, or infection-related mortality. Definitions vary, and the use of this term is discouraged.
Uncomplicated SAB	Superficial/removable source with no deep-seated infection, relapse, or infection-related mortality. Definitions vary, and the use of this term is discouraged.
Low-risk SAB	SAB with no risk factors or signs of deep tissues or metastatic foci of infection (including endocarditis) or relapse.
Increased-risk SAB	SAB with at least one risk factor for infection of deep tissues, metastatic foci, or relapse (see Consensus Statement 1).
Predisposing heart valve conditions	Previous history of endocarditis, prosthetic valve, previous valve repair, congenital heart disease, more than mild regurgitation or stenosis of any etiology, endovascular intracardiac implantable electronic device, hypertrophic obstructive cardiomyopathy. Refer to 2023 Duke-ISCVID criteria for additional details [29].
Disease Course	
Central venous catheter-related infection	SAB that arises from, or is directly associated with, a central venous catheter. Diagnosis is usually posed when the same <i>S. aureus</i> isolate (based on antibiotic susceptibility) is identified in one of the following scenarios: • Present in both a peripheral blood culture and the catheter tip culture, or • Present in both a blood culture and a pus or skin swab from the catheter exit site, or • Present in two initial blood cultures—one drawn from a peripheral site and the other through the catheter—with a differential time to positivity (DTTP) of at least 120 minutes

	(i.e., the catheter-drawn culture becomes positive at least 120 minutes earlier than the peripheral culture), and • No other plausible source of infection is identified. Strong clinical suspicion for catheter-related infection: Cultures not obtained, but signs such as pus, redness, pain at exit/tunneled site, or chills during infusion, with no other plausible source.
Central-line associated bloodstream infection (CLABSI)	Laboratory confirmed bloodstream infection that develops in a patient with a central line (>48h in place) and the infection is not related to another site of infection. The term CLABSI was designed primarily for surveillance purposes and should not be used to classify clinical diagnoses of SAB. The term CLABSI is non-specific, and surveillance criteria do not clearly characterize the role of the CVC. Thus, patients identified as having a CLABSI may not meet clinical criteria for CVC-related infections.
Source control	An intervention to eliminate or control a focus of <i>S. aureus</i> infection that would be unlikely to respond to antibiotic therapy alone and would increase risk for ongoing sepsis, spread of infection, or relapse. Examples include removal of central line or implanted device, incision and drainage of a skin abscess, interventional drainage of a liver abscess, surgical debridement of an epidural abscess, amputation of an infected diabetic foot, and surgical valve replacement for a perivalvular abscess.
Recurrence	Denotes relapse or re-infection.
Relapse or relapsed bacteremia	Return of <i>S. aureus</i> infection due to unresolved initial infection. Often defined as occurring after completion of a course of therapy. Most relapses occur within 90 days after index infection.
Re-infection	Another episode of <i>S. aureus</i> infection (bacteremic or not) independent from the initial episode of the infection. It can be distinguished from relapse by whole-genome sequencing or other genetic markers when these differ between the two isolates. However, same-strain re-infections can occur, e.g., because of colonization. Most recurrences occur more than 90 days after the index infection.
Diagnostics	
Blood culture set	One aerobic and one anaerobic blood culture bottle from a single draw.
Follow-up blood culture	Blood culture drawn after an initial positive blood culture to monitor the duration of blood culture positivity and document the timing of blood culture clearance.

Blood culture clearance	Day of sampling of the first negative blood culture after which there are no positive blood cultures with <i>S. aureus</i>. The date of blood culture clearance is typically used as a start date for counting the duration of antibiotic therapy (see Consensus Statement 2 for additional details).
Time-to-positivity (TTP)	Incubation time of a blood culture for sufficient growth to be detected as “positive” in the blood culture instrument. When several bottles (e.g., aerobic and anaerobic blood culture bottles) are incubated, the shortest time is considered the TTP. TTP is used to calculate the differential time-to-positivity (DTTP) which is used to define CVC-related bloodstream infections (see above).
Skip phenomenon	Intermittent blood culture positivity (i.e., negative follow-up blood cultures followed by positive). The consecutive blood cultures need to be closely spaced and early in the course of infection to distinguish from relapse (see Consensus Statement 2).

*The terms defined here reflect both their usage in the literature and the panel’s assessment of their appropriateness. This table is intended to promote a shared vocabulary for future research and to guide consistent terminology. It also serves an educational purpose by providing definitions for terms that may be unfamiliar to some but are useful for accurately describing study characteristics.

Abbreviations

CI	Confidence Interval
COI	Conflict of interest
CVC	Central venous catheter
DVT	Deep vein thrombosis
ESCMID	European Society of Clinical Microbiology and Infectious Diseases
HR	Hazard Ratio
ID	Infectious Diseases
IDSA	Infectious Disease Society of America
IQR	Interquartile range
MeSH	Medical Subject Headings
OR	Odds Ratio
RR	Relative Risk
SAB	<i>Staphylococcus aureus</i> bacteremia
SPGC	Standards and Practice Guideline Committee
TEE	Transesophageal Echocardiography
TTE	Trans-thoracic echocardiography

Search strategies

January 2025

Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations and Daily 1946 to January 10, 2025

1	exp *Staphylococcal Infections/
2	Bacteremia/mo, mi or *Bacteremia/
3	*Sepsis/
4	2 or 3
5	1 and 4
6	((((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or MRSA or (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s. aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
7	((((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s. aureu*")) adj3 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ab. /freq=2
8	or/5-7 [SAB]
9	*Treatment Outcome/
10	*Mortality/
11	*risk/
12	(risk* or outcome* or complicat* or treatment*).ti.
13	(risk* or outcome* or complicat* or treatment* or mortalit* or survival or death*).ab. /freq=4
14	or/9-13 [outcome]

15 8 and 14 [SAB and outcome]
16 *Osteomyelitis/
17 *Arthritis, Infectious/
18 *Central Nervous System Infections/
19 *Abscess/
20 *Endocarditis/
21 (osteomyelit* or central nervous sys* or abscess* or abcess* or endocardit* or
metastati*).ti. and (osteomyelit* or central nervous sys* or abscess* or abcess* or
endocardit* or metastati*).ab.
22 ((arthriti? or rheumat*) adj3 infect*).ti. and ((arthriti? or rheumat*) adj3 infect*).ab.
23 or/16-22 [Conditions]
24 8 and 23 [SAB and conditions]
25 15 or 24
26 (((staphylococ* adj aureu*) or "s. aureu*") adj1 (reinfect* or relaps* or recurrenc* or
outcome* adj5 infection*))).ti.
27 ((staphylococ* aureu* or "s. aureu*") adj (bacter?em* or blood* infect*).ti. and
(((staphylococ* aureu* or "s. aureu*") adj (bacter?em* or blood* infect*)) and
endocardit*) adj5 (risk* or infection* or bacteriuria*).ab.
28 or/25-27
29 (Animals/ or Models, Animal/ or Disease Models, Animal/) not ((Animals/ or
Models, Animal/ or Disease Models, Animal/) and Humans/)
30 ((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or
mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or primate*
or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human* or
patient*)).ti,kf,jw.
31 28 not (29 or 30) [Remove animal studies]
32 limit 31 to yr="2023 -Current"
33 ("33630810" or "32649155" or "29693474" or "32797225" or "32505877" or
"31857898" or "32667982" or "32191760" or "32839217" or "32005137" or
"33061982" or "32570897" or "30817369" or "32720352" or "31540285" or
"33160069" or "33609261" or "33394368" or "31790814" or "31434472" or
"31357013" or "32049296" or "31360464" or "32600427" or "33930602" or
"31522665" or "32178604" or "32988337" or "33131212" or "33546401" or
"31446028" or "33630954" or "33157291" or "32805452" or "31181352" or
"33794783" or "30904893" or "30719282" or "30928559" or "30476572" or
"33207274" or "30955166" or "32821130" or "33986964" or "31009118" or
"31001618" or "32381015" or "32665958" or "30753346" or "28859468" or
"33066383" or "32537677" or "32460851" or "33158426" or "30858203" or
"32641110" or "31870587" or "34033912" or "31536152" or "30940316" or
"33609718" or "32533859" or "32887985" or "32355950" or "32590802" or
"31174479" or "33677515" or "31281864" or "33512521" or "33904900" or
"31776844" or "32535805" or "33785363" or "32376001" or "32463614" or
"30190234" or "32529041" or "32621149" or "32164519" or "31296167" or
"33800644" or "30857918" or "32577424" or "32148355" or "30876612" or
"31014434" or "33820537" or "32478836" or "30279024" or "31404468" or

"32725216" or "32121093" or "32763194" or "30949675" or "32205599" or
"32853975" or "30808313" or "32509602" or "31493980" or "33500296" or
"33715536" or "32911296" or "32735155" or "32603544" or "32393495" or
"30351401" or "31964768" or "31111077" or "33452189" or "32044943" or
"32015029" or "31046810" or "33747579" or "32312776" or "31157370" or
"32608921" or "32503467" or "32963004" or "30858014" or "31270751" or
"31451019" or "31123543" or "32506515" or "31402235" or "32271718" or
"32753037" or "30797965" or "33547128" or "33419747" or "33239473" or
"33392784" or "32128337" or "30321315" or "30916833" or "32114722" or
"32047014" or "31953235" or "32531048" or "31942636" or "30949538" or
"30287412" or "30615122" or "31338381" or "33914861" or "32423701" or
"33355663" or "33793589" or "32548206" or "31925572" or "30991876" or
"32606024" or "33530523" or "32387036" or "31001630" or "32539506" or
"32459619" or "30850614" or "30476003" or "31012770" or "32332684" or
"30779302" or "32363449" or "33685806" or "31660413" or "30241971" or
"33279686" or "30808684" or "32639560" or "33606007" or "32283173" or
"31640977" or "32300798" or "31904104" or "30641203" or "31873861" or
"32736298" or "32218575" or "33372019" or "31495353" or "32766382" or
"34043679" or "31676266" or "31466968" or "32980576" or "31692105" or
"31229258" or "30753447" or "31718473" or "33779101" or "32248513" or
"31105001" or "32888495" or "30689894" or "32348075" or "31938716" or
"31886435" or "32523971" or "31801696" or "32091496" or "32776958" or
"30734879" or "32401232" or "33704836" or "31385146" or "32908944" or
"30615655" or "32943443" or "33219189" or "31214625" or "31512009" or
"33304911" or "30982159" or "33414015" or "31398375" or "32653480" or
"32847528" or "32717397" or "31145782" or "33446122" or "32624688" or
"31758880" or "30165412" or "31041341" or "31636069" or "32569366" or
"30721149" or "32051007" or "30923573" or "33721095" or "31330190" or
"33636338" or "33986933" or "31185081" or "31861446" or "33196562" or
"33278619" or "29347812" or "33761197" or "31637596" or "31640978" or
"31351042" or "30805770" or "29064261" or "30949543" or "30879729" or
"32564065" or "31481566" or "33511230" or "32082571" or "33950948" or
"31584684" or "32271391" or "30320718" or "30418557" or "33101896" or
"30924012" or "30954638" or "31044070" or "33381576" or "30866024" or
"32574220" or "30239476" or "33269299" or "32734206" or "32848271" or
"32069840" or "31060511" or "32485274" or "32094258" or "32518699" or
"33148559" or "33472800" or "31355687" or "32333768" or "31624217" or
"30616934" or "30552202" or "30935098" or "31024970" or "33045437" or
"33980167" or "32169398" or "32750138" or "33197608" or "30036664" or
"31101087" or "31501145" or "33337430" or "32148777" or "31489190" or
"31471983" or "33312777" or "33911542" or "33134421" or "32328373" or
"33484408" or "30760213" or "31576000" or "30729396" or "29893805" or
"33728980" or "30891239" or "31337994" or "30845118" or "31758651" or
"33563707" or "31639470").ui. [Remove Medline UI 2021]

"36690574" or "36589483" or "37096312" or "36415114" or "33554692" or
"34751941" or "36517186" or "35456638" or "35167506" or "37321394" or
"36136334" or "34826374" or "34932032" or "34702193" or "36249641" or
"36986330" or "35469556" or "36529133" or "35134560" or "35443013" or
"34500502" or "35216948" or "37147610" or "36373405" or "34855164" or
"34245388" or "33604614" or "36604236" or "35778821" or "35711129" or
"36521869" or "36220043" or "35787919" or "34332468" or "34344954" or
"37127589" or "34178546" or "35036237" or "36537200" or "36978326" or
"36205230" or "32892202" or "36506352" or "35794229" or "34352434" or
"34337094" or "35425988" or "35870547" or "37029969" or "35438533" or
"36358161" or "36897327" or "36009973" or "35748072" or "34844643" or
"35899276" or "34344645" or "35358683" or "34832552" or "36671330" or
"37221129" or "36401785" or "36482417" or "34746331" or "35973315" or
"35869753" or "35578360" or "35434080" or "34439067" or "35972129" or
"33813121" or "35488862" or "36359534" or "35997594" or "36897764" or
"35126909" or "34955100" or "37019243" or "35703303" or "36201666" or
"35295285" or "36173628" or "35749114" or "34596881" or "35693470" or
"36802263" or "37107059" or "35630294" or "37158826" or "34920946" or
"35456548" or "35700426" or "35900074" or "36744387" or "35552420" or
"35308748" or "36945292" or "36932278" or "37053222" or "35373162" or
"36950288" or "37353076" or "34923159" or "37072768" or "35535794" or
"34480725" or "36856899" or "35797374" or "36668960" or "35862809" or
"36381624" or "37310693" or "36730419" or "35639909" or "35740233" or
"35243486" or "32813012" or "34601929" or "34941623" or "36283610" or
"34378959" or "36439399" or "34680827" or "35416712" or "35698155" or
"35291804" or "35982140" or "35339677" or "37111497" or "37296787" or
"34748383" or "36454297" or "34679019" or "37277092" or "34928493" or
"36198909" or "34637480" or "29651827" or "35198303" or "35076616" or
"35527174" or "35129409" or "35019768" or "35331269" or "37097840" or
"36949976" or "36568565" or "35119125" or "34813234" or "34123631" or
"36226450" or "34460909" or "36009988" or "35201606" or "34626700" or
"36644736" or "35146040" or "34353808" or "36779107" or "34407419" or
"35752689" or "36759790" or "34520844" or "34192639" or "36790177" or
"36394002" or "35100939" or "35938592" or "36483366" or "34905144" or
"36690124" or "36052413" or "34692605" or "34604746" or "34089594" or
"34432165" or "35024555" or "36975739" or "36978320" or "35948963" or
"34337679" or "36558831" or "36869816" or "35836448" or "36800065" or
"34896517" or "34272564" or "34379986" or "36729318" or "35911626" or
"35254101" or "36540385" or "36002040" or "36195405" or "36750777" or
"36773940" or "37339827" or "34596088" or "35031488" or "36370898" or
"36797583" or "36988505" or "37296829" or "36217068" or "34090777" or
"35762799" or "35442139" or "36959162" or "35277116" or "37085305" or
"35942602" or "36773773" or "36137340" or "36050132" or "34258313" or
"34958065" or "36151989" or "35339678" or "36736927" or "36920628" or
"34303771" or "36683620" or "36925664" or "34336531" or "35728748" or

	"35202610" or "36644414" or "35037823" or "33321197" or "35503384" or "34189171" or "32761929" or "34602621" or "35124255" or "35873286" or "33905485" or "36871407" or "36401791" or "35288257" or "35794933" or "35384061" or "35329827" or "35942696" or "36523711" or "35575507" or "34492692" or "34151145" or "36371648" or "36183202" or "34399064" or "34146597" or "37130620" or "36757874" or "35415199").ui. [Remove Medline UI 2023]
35	32 not (33 or 34)
36	remove duplicates from 35

Ovid Embase 1947 to January 9, 2025

1	*staphylococcal bacteremia/
2	*staphylococcal infections/
3	*bacteremia/
4	*Sepsis/
5	3 or 4
6	1 or (2 and 5)
7	((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
8	(methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
9	aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
10	or/6-8 [SAB]
11	*Treatment Outcome/
12	*Mortality/
13	*risk/
14	(risk* or outcome* or complicat* or treatment*).ti.
15	(risk* or outcome* or complicat* or treatment* or mortalit* or survival or death*).ab.
16	/freq=5
17	or/10-14 [outcome]
18	9 and 15 [SAB and outcome]
19	*Osteomyelitis/
20	*Arthritis, Infectious/
21	*Central Nervous System Infections/
22	*Abscess/
23	*Endocarditis/
24	(osteomyelit* or central nervous sys* or abscess* or abcess* or endocardit* or
25	metastati*).ti. and (osteomyelit* or central nervous sys* or abscess* or abcess* or
26	endocardit* or metastati*).ab.
27	((arthriti? or rheumat*) adj3 infect*).ti. and ((arthriti? or rheumat*) adj3 infect*).ab.
28	or/17-23 [Conditions]
	9 and 24 [SAB and conditions]
	16 or 25
	((staphylococ* adj aureu*) or "s. aureu*") adj1 (reinfect* or relaps* or recurrenc* or
	outcome* adj5 infection*))).ti.
	((staphylococ* aureu* or "s. aureu*") adj (bacter?em* or blood* infect*)) and (risk*
	or infect* or bacteriuria*).ti. and (((staphylococ* aureu* or "s. aureu*") adj

(bacter?em* or blood* infect*)) and endocardit*) adj5 (risk* or infection* or bacteriuria*).ab.

29 or/26-28

30 (exp animal/ or exp juvenile animal/ or adult animal/ or animal cell/ or animal experiment/ or animal model/ or animal tissue/ or nonhuman/) not human/

31 ((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or primate* or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human* or patient*)).ti,kw,jx.

32 29 not (30 or 31)

33 limit 32 to yr="2023 -Current"

34 remove duplicates from 33

35 ("31357013" or "31790814" or "33312777" or "32848271" or "32569366" or "34033912" or "32653480" or "31776844" or "32248513" or "33279686" or "33904900" or "31758880" or "32548206" or "33061982" or "32539506" or "31185081" or "31351042" or "33986964" or "33484408" or "32005137" or "31281864" or "32459619" or "30241971" or "30857918" or "30552202" or "30955166" or "32529041" or "31584684" or "30949543" or "33794783" or "30954638" or "30320718" or "30817369" or "31942636" or "31446028" or "32015029" or "32750138" or "32478836" or "30916833" or "30923573" or "33914861" or "33196562" or "32082571" or "33239473" or "33372019" or "30779302" or "32667982" or "33630954" or "32564065" or "31522665" or "32178604" or "32988337" or "32205599" or "31229258" or "30279024" or "31044070" or "33269299" or "32506515" or "32523971" or "30797965" or "31001630" or "30982159" or "30850614" or "32348075" or "32328373" or "32387036" or "31861446" or "31481566" or "30321315" or "33355663" or "32621149" or "33131212" or "32518699" or "33630810" or "33381576" or "30729396" or "32574220" or "33304911" or "33636338" or "32128337" or "31009118" or "34043679" or "32271718" or "31512009" or "33563707" or "32463614" or "31330190" or "30858203" or "32639560" or "33414015" or "32734206" or "33511230" or "33530523" or "33066383" or "31953235" or "30239476" or "32332684" or "32049296" or "33547128" or "32665958" or "30615122" or "30165412" or "31041341" or "31024970" or "33278619" or "32047014" or "30866024" or "32283173" or "32908944" or "30879729" or "33986933" or "30719282" or "31181352" or "32271391" or "32393495" or "32218575" or "33500296" or "31214625" or "31676266" or "31857898" or "32381015" or "31624217" or "30753447" or "33394368" or "32853975" or "31355687" or "32600427" or "33546401" or "32148777" or "33609718" or "29347812" or "30734879" or "30418557" or "31404468" or "31111077" or "32051007" or "33197608" or "32533859" or "31640977" or "31636069" or "32887985" or "32509602" or "31718473" or "30287412" or "31501145" or "30616934" or "28859468" or "32114722" or "32363449" or "32805452" or "33606007" or "30845118" or "32401232" or "32069840" or "30721149" or "32763194" or "30876612" or "31174479" or "31270751" or "33392784" or

"32603544" or "31536152" or "30476572" or "31493980" or "31873861" or "30891239" or "32333768" or "32606024" or "31101087" or "31296167" or "31014434" or "33446122" or "32531048" or "31157370" or "29064261" or "33160069" or "32169398" or "33779101" or "32191760" or "32821130" or "31540285" or "30935098" or "31434472" or "33685806" or "30615655" or "31938716" or "32797225" or "30753346" or "32164519" or "31964768" or "30190234" or "30760213" or "30949675" or "33715536" or "30858014" or "30808313" or "32312776" or "32766382" or "32720352" or "32148355" or "32535805" or "33950948" or "30641203" or "33148559" or "32980576" or "32980576" or "30904893" or "30805770" or "31637596" or "31145782" or "30940316" or "33761197" or "33911542" or "33747579" or "31904104" or "31758651" or "33337430" or "30689894" or "33157291" or "32725216" or "29893805" or "31337994" or "30949538" or "32355950" or "32649155" or "31925572" or "33207274" or "33472800" or "31640978" or "30924012" or "31060511" or "32911296" or "32717397" or "32505877" or "33512521" or "33704836" or "31360464" or "31639470" or "33452189" or "32091496" or "30808684" or "30036664" or "31660413" or "32735155" or "32963004" or "31001618" or "30476003" or "31451019" or "32423701" or "31398375" or "31692105" or "33609261" or "33820537" or "33219189" or "32503467" or "33134421" or "32847528" or "31046810" or "31495353" or "33677515" or "32044943" or "32943443" or "33980167" or "31801696" or "32776958" or "32376001" or "32641110" or "31012770" or "32094258" or "31471983" or "32608921" or "31385146" or "32485274" or "31466968" or "31886435" or "30991876" or "31576000" or "33800644" or "32839217" or "32736298" or "30928559" or "32121093" or "32624688" or "30351401" or "32753037" or "31402235" or "32888495" or "32590802" or "31870587" or "33721095" or "32537677" or "31123543" or "33045437" or "33785363" or "33728980" or "31105001" or "33793589" or "31489190" or "32300798" or "33419747" or "33101896" or "31338381" or "30968053" or "32577424" or "33930602" or "32460851" or "29693474" or "33158426" or "32570897").pm. [Remove Medline 2021]

36 ("35331165" or "34330996" or "34993670" or "36483573" or "34606585" or "36690574" or "36589483" or "37096312" or "36415114" or "33554692" or "34751941" or "36517186" or "35456638" or "35167506" or "37321394" or "36136334" or "34826374" or "34932032" or "34702193" or "36249641" or "36986330" or "35469556" or "36529133" or "35134560" or "35443013" or "34500502" or "35216948" or "37147610" or "36373405" or "34855164" or "34245388" or "33604614" or "36604236" or "35778821" or "35711129" or "36521869" or "36220043" or "35787919" or "34332468" or "34344954" or "37127589" or "34178546" or "35036237" or "36537200" or "36978326" or "36205230" or "32892202" or "36506352" or "35794229" or "34352434" or "34337094" or "35425988" or "35870547" or "37029969" or "35438533" or "36358161" or "36897327" or "36009973" or "35748072" or "34844643" or "35899276" or "34344645" or "35358683" or "34832552" or "36671330" or "37221129" or "36401785" or "36482417" or "34746331" or "35973315" or

"35869753" or "35578360" or "35434080" or "34439067" or "35972129" or
"33813121" or "35488862" or "36359534" or "35997594" or "36897764" or
"35126909" or "34955100" or "37019243" or "35703303" or "36201666" or
"35295285" or "36173628" or "35749114" or "34596881" or "35693470" or
"36802263" or "37107059" or "35630294" or "37158826" or "34920946" or
"35456548" or "35700426" or "35900074" or "36744387" or "35552420" or
"35308748" or "36945292" or "36932278" or "37053222" or "35373162" or
"36950288" or "37353076" or "34923159" or "37072768" or "35535794" or
"34480725" or "36856899" or "35797374" or "36668960" or "35862809" or
"36381624" or "37310693" or "36730419" or "35639909" or "35740233" or
"35243486" or "32813012" or "34601929" or "34941623" or "36283610" or
"34378959" or "36439399" or "34680827" or "35416712" or "35698155" or
"35291804" or "35982140" or "35339677" or "37111497" or "37296787" or
"34748383" or "36454297" or "34679019" or "37277092" or "34928493" or
"36198909" or "34637480" or "29651827" or "35198303" or "35076616" or
"35527174" or "35129409" or "35019768" or "35331269" or "37097840" or
"36949976" or "36568565" or "35119125" or "34813234" or "34123631" or
"36226450" or "34460909" or "36009988" or "35201606" or "34626700" or
"36644736" or "35146040" or "34353808" or "36779107" or "34407419" or
"35752689" or "36759790" or "34520844" or "34192639" or "36790177" or
"36394002" or "35100939" or "35938592" or "36483366" or "34905144" or
"36690124" or "36052413" or "34692605" or "34604746" or "34089594" or
"34432165" or "35024555" or "36975739" or "36978320" or "35948963" or
"34337679" or "36558831" or "36869816" or "35836448" or "36800065" or
"34896517" or "34272564" or "34379986" or "36729318" or "35911626" or
"35254101" or "36540385" or "36002040" or "36195405" or "36750777" or
"36773940" or "37339827" or "34596088" or "35031488" or "36370898" or
"36797583" or "36988505" or "37296829" or "36217068" or "34090777" or
"35762799" or "35442139" or "36959162" or "35277116" or "37085305" or
"35942602" or "36773773" or "36137340" or "36050132" or "34258313" or
"34958065" or "36151989" or "35339678" or "36736927" or "36920628" or
"34303771" or "36683620" or "36925664" or "34336531" or "35728748" or
"35202610" or "36644414" or "35037823" or "33321197" or "35503384" or
"34189171" or "32761929" or "34602621" or "35124255" or "35873286" or
"33905485" or "36871407" or "36401791" or "35288257" or "35794933" or
"35384061" or "35329827" or "35942696" or "36523711" or "35575507" or
"34492692" or "34151145" or "36371648" or "36183202" or "34399064" or
"34146597" or "37130620" or "36757874" or "35415199").pm. [Remove Medline UI
2023]

37 ("629772531" or "628981776" or "632240994" or "632891324" or "2003361455"
or "2010517516" or "628274166" or "2005742995" or "627239038" or
"2011117818" or "2010551809" or "2004241696" or "2005759533" or
"631318590" or "628145333" or "2003528414" or "2002240320" or "2002008103"
or "634520385" or "626016463" or "2001783069" or "2003236919" or
"2006723629" or "2003352462" or "631636995" or "627192079" or "2010114913"

or "2006102131").an. [Remove Embase UI 2021]

38 ("641417406" or "2019181486" or "2017471358" or "2019092409" or "2018392568" or "2017916462" or "2017255782" or "2018155099" or "2022246776" or "2021245400" or "2024431268" or "2014030561").an. [Remove Embase 2023]

39 ("35331165" or "34330996" or "34993670" or "36483573" or "34606585" or "36690574" or "36589483" or "37096312" or "36415114" or "33554692" or "34751941" or "36517186" or "35456638" or "35167506" or "37321394" or "36136334" or "34826374" or "34932032" or "34702193" or "36249641" or "36986330" or "35469556" or "36529133" or "35134560" or "35443013" or "34500502" or "35216948" or "37147610" or "36373405" or "34855164" or "34245388" or "33604614" or "36604236" or "35778821" or "35711129" or "36521869" or "36220043" or "35787919" or "34332468" or "34344954" or "37127589" or "34178546" or "35036237" or "36537200" or "36978326" or "36205230" or "32892202" or "36506352" or "35794229" or "34352434" or "34337094" or "35425988" or "35870547" or "37029969" or "35438533" or "36358161" or "36897327" or "36009973" or "35748072" or "34844643" or "35899276" or "34344645" or "35358683" or "34832552" or "36671330" or "37221129" or "36401785" or "36482417" or "34746331" or "35973315" or "35869753" or "35578360" or "35434080" or "34439067" or "35972129" or "33813121" or "35488862" or "36359534" or "35997594" or "36897764" or "35126909" or "34955100" or "37019243" or "35703303" or "36201666" or "35295285" or "36173628" or "35749114" or "34596881" or "35693470" or "36802263" or "37107059" or "35630294" or "37158826" or "34920946" or "35456548" or "35700426" or "35900074" or "36744387" or "35552420" or "35308748" or "36945292" or "36932278" or "37053222" or "35373162" or "36950288" or "37353076" or "34923159" or "37072768" or "35535794" or "34480725" or "36856899" or "35797374" or "36668960" or "35862809" or "36381624" or "37310693" or "36730419" or "35639909" or "35740233" or "35243486" or "32813012" or "34601929" or "34941623" or "36283610" or "34378959" or "36439399" or "34680827" or "35416712" or "35698155" or "35291804" or "35982140" or "35339677" or "37111497" or "37296787" or "34748383" or "36454297" or "34679019" or "37277092" or "34928493" or "36198909" or "34637480" or "29651827" or "35198303" or "35076616" or "35527174" or "35129409" or "35019768" or "35331269" or "37097840" or "36949976" or "36568565" or "35119125" or "34813234" or "34123631" or "36226450" or "34460909" or "36009988" or "35201606" or "34626700" or "36644736" or "35146040" or "34353808" or "36779107" or "34407419" or "35752689" or "36759790" or "34520844" or "34192639" or "36790177" or "36394002" or "35100939" or "35938592" or "36483366" or "34905144" or "36690124" or "36052413" or "34692605" or "34604746" or "34089594" or "34432165" or "35024555" or "36975739" or "36978320" or "35948963" or "34337679" or "36558831" or "36869816" or "35836448" or "36800065" or "34896517" or "34272564" or "34379986" or "36729318" or "35911626" or "35254101" or "36540385" or "36002040" or "36195405" or "36750777" or

"36773940" or "37339827" or "34596088" or "35031488" or "36370898" or "36797583" or "36988505" or "37296829" or "36217068" or "34090777" or "35762799" or "35442139" or "36959162" or "35277116" or "37085305" or "35942602" or "36773773" or "36137340" or "36050132" or "34258313" or "34958065" or "36151989" or "35339678" or "36736927" or "36920628" or "34303771" or "36683620" or "36925664" or "34336531" or "35728748" or "35202610" or "36644414" or "35037823" or "33321197" or "35503384" or "34189171" or "32761929" or "34602621" or "35124255" or "35873286" or "33905485" or "36871407" or "36401791" or "35288257" or "35794933" or "35384061" or "35329827" or "35942696" or "36523711" or "35575507" or "34492692" or "34151145" or "36371648" or "36183202" or "34399064" or "34146597" or "37130620" or "36757874" or "35415199").pm. [Remove Medline UI 2023]

40 34 not (or/35-39)

41 limit 40 to (books or chapter or conference abstract or conference paper or "conference review" or editorial or letter or note)

42 40 not 41

Cochrane (WILEY) January 9, 2025

1 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or (methicillin NEAR/0 (resistant or susceptible)) or (staphylococ* NEAR/0 aureu*) or s NEXT aureu*)) NEAR/1 (bacter* or septic* or sepsis* or (blood* NEXT infect*))) :ti

2 (((staphylococ* aureu*) or (s NEXT aureu*)) NEAR/1 (bacter* or septic* or sepsis* or (blood* NEAR/0 infect*))) :ab

3 #1 OR #2

4 (risk* or outcome* or complicat* or treatment* or mortalit* or survival or death*) :ti

5 (risk* or outcome* or complicat* or treatment*) :ab

6 #4 OR #5

7 #3 AND #6

8 (osteomyelit* or arthriti? or rheumat* or central nervous sys* or abscess* or abcess* or endocardit* or metastati*) :ti,ab

9 #3 AND #8

10 #7 OR #9

11 #7 OR #9 with Cochrane Library publication date Between Jul 2023 and Feb 2025

July 2023

Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations and Daily <1946 to July 18, 2023

1 exp *Staphylococcal Infections/
 2 Bacteremia/mo, mi or *Bacteremia/
 3 *Sepsis/
 4 2 or 3
 5 1 and 4

6 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
 7 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj3 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ab. /freq=2
 8 or/5-7 [SAB]
 9 *Endocarditis/
 10 or/8-9
 11 exp *Echocardiography/ or Echocardiography, Transesophageal/
 12 (echocardiograp* or (echo* adj1 (cardiograph* or transthor* or trans-thor* or
 transesophag* or trans-esophag*))).tw.
 13 or/11-12
 14 10 and 13
 15 8 and exp Endocarditis/di, dg
 16 (((staphylococ* adj aureu*) or "s. aureu*") and echo*).tw.
 17 8 and (endocardit* and echo*).tw.
 18 (endocardit* and echo*).ti. and bacter*.tw.
 19 or/14-18
 20 (Animals/ or Models, Animal/ or Disease Models, Animal/) not ((Animals/ or
 Models, Animal/ or Disease Models, Animal/) and Humans/)
 21 ((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or
 mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or
 primate* or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human*
 or patient*)).ti,kf,jw.
 22 19 not (20 or 21)
 23 limit 22 to yr="2021 -Current"
 24 remove duplicates from 23

Ovid Embase 1947 to July 18, 2023

1 *staphylococcal bacteremia/
 2 *staphylococcal infections/
 3 *bacteremia/
 4 *Sepsis/
 5 3 or 4
 6 1 or (2 and 5)
 7 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
 8 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj3 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ab. /freq=3
 9 or/6-8 [SAB]
 10 *Endocarditis/
 11 or/9-10

12	*transthoracic echocardiography/ or *transesophageal echocardiography/
13	(echocardiograp* or (echo* adj1 (cardiograph* or transthor* or trans-thor* or transesophag* or trans-esophag*))).tw.
14	or/12-13
15	11 and 14
16	9 and (endocarditis/di or (*Endocarditis/ and *diagnostic imaging/))
17	((staphylococ* adj aureu*) or "s. aureu*") and echo*).tw.
18	9 and (endocardit* and echo*).tw.
19	(endocardit* and echo*).ti. and bacter*.tw.
20	or/15-19
21	(exp animal/ or exp juvenile animal/ or adult animal/ or animal cell/ or animal experiment/ or animal model/ or animal tissue/ or nonhuman/) not human/
22	((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or primate* or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human* or patient*)).ti,kw,jx.
23	20 not (21 or 22)
24	limit 23 to yr="2021 -Current"
25	remove duplicates from 24

Cochrane (WILEY) JULY 19, 2023

1	((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or (methicillin NEAR/0 (resistant or susceptible)) or (staphylococ* NEAR/0 aureu*) or "s. aureu*")) NEAR/1 (bacter* or septic* or sepsis* or (blood* NEAR/0 infect*)):ti,ab
2	((staphylococ* aureu*) or ("s. aureu*")) NEAR/1 (bacter* or septic* or sepsis* or (blood* NEAR/0 infect*)):ti,ab
3	#1 OR #2
4	(echocardiograp* or (echo* NEAR/1 (cardiograph* or transthor* or trans-thor* or transesophag* or trans-esophag*)):ti,ab
5	#3 AND #4
6	((staphylococ* aureu*) or "s. aureu*") and echo*:ti,ab
7	(endocardit* and echo*:ti,ab
8	#5 OR #6 OR #7
9	#5 OR #6 OR #7 with Cochrane Library publication date Between Jul 2021 and Jul 2023

July 2021

Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations and Daily <1946 to June 04, 2021

1	exp *Staphylococcal Infections/
2	Bacteremia/mo, mi or *Bacteremia/
3	*Sepsis/
4	2 or 3

5 1 and 4
 6 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
 7 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj3 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ab. /freq=2
 8 or/5-7 [SAB]
 9 *Endocarditis/
 10 or/8-9
 11 exp *Echocardiography/ or Echocardiography, Transesophageal/
 12 (echocardiograp* or (echo* adj1 (cardiograph* or transthor* or trans-thor* or
 transesophag* or trans-esophag*))).tw.
 13 or/11-12
 14 10 and 13
 15 8 and exp Endocarditis/di, dg
 16 (((staphylococ* adj aureu*) or "s. aureu*") and echo*).tw.
 17 8 and (endocardit* and echo*).tw.
 18 (endocardit* and echo*).ti. and bacter*.tw.
 19 or/14-18
 20 (Animals/ or Models, Animal/ or Disease Models, Animal/) not ((Animals/ or
 Models, Animal/ or Disease Models, Animal/) and Humans/)
 21 ((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or
 mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or
 primate* or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human*
 or patient*)).ti,kf,jw.
 22 19 not (20 or 21)
 23 limit 22 to yr="2018 -Current"
 24 remove duplicates from 23

Ovid Embase 1947 to June 04, 2021

1 *staphylococcal bacteremia/
 2 *staphylococcal infections/
 3 *bacteremia/
 4 *Sepsis/
 5 3 or 4
 6 1 or (2 and 5)
 7 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj1 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ti.
 8 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin adj (resistant or susceptible)) or (staphylococ* adj aureu*) or "s.
 aureu*")) adj3 (bacter* or septic* or sepsis* or (blood* adj1 infect*))).ab. /freq=3
 9 or/6-8 [SAB]
 10 *Endocarditis/

11 or/9-10
 12 *transthoracic echocardiography/ or *transesophageal echocardiography/
 13 (echocardiograph* or (echo* adj1 (cardiograph* or transthor* or trans-thor* or
 transesophag* or trans-esophag*))) .tw.
 14 or/12-13
 15 11 and 14
 16 9 and (endocarditis/di or (*Endocarditis/ and *diagnostic imaging/))
 17 (((staphylococ* adj aureu*) or "s. aureu*") and echo*) .tw.
 18 9 and (endocardit* and echo*) .tw.
 19 (endocardit* and echo*) .ti. and bacter* .tw.
 20 or/15-19
 21 (exp animal/ or exp juvenile animal/ or adult animal/ or animal cell/ or animal
 experiment/ or animal model/ or animal tissue/ or nonhuman/) not human/
 22 ((animal or animals or cat or cats or dog or dogs or feline or hamster* or lamb? or
 mice or monkey? or mouse or murine or pig or pigs or piglet* or porcine or
 primate* or rabbit* or rat or rats or rodent* or sheep* or veterinar*) not (human*
 or patient*)) .ti,kw,jx.
 23 20 not (21 or 22)
 24 limit 23 to yr="2018 -Current"
 25 remove duplicates from 24

Cochrane (WILEY) JUNE 6, 2021

#1 (((SAB and (staphylococ* or aureu*)) or (SABSI or MRSAB or MSSA or MRSA or
 (methicillin NEAR/0 (resistant or susceptible)) or (staphylococ* NEAR/0 aureu*)
 or "s. aureu*")) NEAR/1 (bacter* or septic* or sepsis* or (blood* NEAR/0
 infect*))) :ti,ab
 #2 (((staphylococ* aureu*) or ("s. aureu*")) NEAR/1 (bacter* or septic* or sepsis* or
 (blood* NEAR/0 infect*))) :ti,ab
 #3 #1 OR #2
 #4 (echocardiograph* or (echo* NEAR/1 (cardiograph* or transthor* or trans-thor* or
 transesophag* or trans-esophag*))) :ti,ab
 #5 #3 AND #4
 #6 (((staphylococ* aureu*) or "s. aureu*") and echo*) :ti,ab
 #7 (endocardit* and echo*) :ti,ab
 #8 #5 OR #6 OR #7
 #9 #5 OR #6 OR #7 with Cochrane Library publication date Between Jan 2018 and Jun
 2021

REFERENCES

1. Albertson, J., et al., *Determination of risk factors for recurrent methicillin-resistant Staphylococcus aureus bacteremia in a Veterans Affairs healthcare system population.* infection control & hospital epidemiology, 2015. **36**(5): p. 543-549.

2. Berge, A., et al., *Staphylococcus aureus bacteraemia, cardiac implantable electronic device, and the risk of endocarditis: a retrospective population-based cohort study*. Eur J Clin Microbiol Infect Dis, 2023. **42**(5): p. 583-591.
3. Chang, F.-Y., et al., *Staphylococcus aureus bacteremia: recurrence and the impact of antibiotic treatment in a prospective multicenter study*. Medicine, 2003. **82**(5): p. 333-339.
4. Choi, S.-H., et al., *Risk factors for recurrent Staphylococcus aureus bacteremia*. Clinical Infectious Diseases, 2021. **72**(11): p. 1891-1899.
5. Finkelstein, R., et al., *Incidence and risk factors for endocarditis among patients with health care-associated Staphylococcus aureus bacteraemia*. Scandinavian Journal of Infectious Diseases, 2012. **44**(12): p. 934-940.
6. Gallego Rodriguez, A., et al., *Risk factors for mortality and complications in peripheral venous catheter-associated Staphylococcus aureus bacteraemia: a large multicentre cohort study*. J Hosp Infect, 2024. **152**: p. 13-20.
7. Gasch, O., et al., *Lack of association between genotypes and haematogenous seeding infections in a large cohort of patients with methicillin-resistant Staphylococcus aureus bacteraemia from 21 Spanish hospitals*. Clinical Microbiology and Infection, 2014. **20**(4): p. 361-367.
8. Gow, N., et al., *The role of echocardiography in Staphylococcus aureus bacteraemia at Auckland City Hospital*. NZ Med J, 2015. **128**(1416): p. 28-35.
9. Grillo, S., et al., *Bloodstream infection and endocarditis caused by Staphylococcus aureus in patients with cancer: a multicenter cohort study*. Infectious Diseases and Therapy, 2022: p. 1-12.
10. Hill, E.E., et al., *Risk factors for infective endocarditis and outcome of patients with Staphylococcus aureus bacteremia*. Mayo Clin Proc, 2007. **82**(10): p. 1165-9.
11. Inagaki, K., et al., *Methicillin-susceptible and methicillin-resistant Staphylococcus aureus bacteremia: nationwide estimates of 30-day readmission, in-hospital mortality, length of stay, and cost in the United States*. Clinical Infectious Diseases, 2019. **69**(12): p. 2112-2118.
12. Joost, I., et al., *Staphylococcus aureus bacteremia in patients with rheumatoid arthritis–Data from the prospective INSTINCT cohort*. Journal of Infection, 2017. **74**(6): p. 575-584.
13. Khan, U.A., et al., *Clinical risk factors for infective endocarditis patients with staphylococcus aureus bacteremia and the diagnostic utility of transesophageal echocardiogram*. Current problems in cardiology, 2022. **47**(11): p. 101331.
14. Kim, T., et al., *Validation of a new risk stratification system-based management for methicillin-resistant Staphylococcus aureus bacteraemia: analysis of a multicentre prospective study*. European Journal of Clinical Microbiology & Infectious Diseases, 2024. **43**(5): p. 841-851.
15. Kinamon, T., et al., *Risk Factors and Outcomes of Hematogenous Vertebral Osteomyelitis in Patients With Staphylococcus aureus Bacteremia*. Clin Infect Dis, 2023. **77**(9): p. 1226-1233.
16. Lalueza, A., et al., *Risk factors for metastatic osteoarticular infections after a long follow-up of patients with Staphylococcus aureus bacteraemia*. Clinical Microbiology and Infection, 2015. **21**(11): p. 1010. e1-1010. e5.
17. Lesens, O., et al., *Risk factors for metastatic infection in patients with Staphylococcus aureus bacteremia with and without endocarditis*. European Journal of Internal Medicine, 2003. **14**(4): p. 227-231.
18. Longobardo, L., et al., *Risk assessment for infected endocarditis in Staphylococcus aureus bacteremia patients: when is transesophageal echocardiography needed?* European Heart Journal: Acute Cardiovascular Care, 2019. **8**(5): p. 476-484.
19. Østergaard, L., et al. *Prevalence and mortality of infective endocarditis in community-acquired and healthcare-associated Staphylococcus aureus bacteremia: a Danish nationwide registry-based cohort study*. in Open Forum Infectious Diseases. 2022. Oxford University Press US.

20. Palraj, B.R., et al., *Predicting Risk of Endocarditis Using a Clinical Tool (PREDICT): Scoring System to Guide Use of Echocardiography in the Management of Staphylococcus aureus Bacteremia*. Clinical Infectious Diseases, 2015. **61**(1): p. 18-28.
21. Papadimitriou-Olivgeris, M., et al., *The LAUSanne STAPHylococcus aureus ENdocarditis (LAUSTAPHEN) score: a prediction score to estimate initial risk for infective endocarditis in patients with S. aureus bacteremia*. Frontiers in cardiovascular medicine, 2022. **9**: p. 961579.
22. Perez, M.G., et al., *Risk factors for the appearance of secondary foci of infection in children with community-acquired Staphylococcus aureus bacteraemia. Cohort study 2010–2016*. Enfermedades infecciosas y microbiología clinica (English ed.), 2018. **36**(8): p. 493-497.
23. Simeon, S., et al., *Time to blood culture positivity: an independent predictor of infective endocarditis and mortality in patients with Staphylococcus aureus bacteraemia*. Clinical Microbiology and Infection, 2019. **25**(4): p. 481-488.
24. Souli, M., et al., *Changing characteristics of Staphylococcus aureus bacteremia: results from a 21-year, prospective, longitudinal study*. Clinical Infectious Diseases, 2019. **69**(11): p. 1868-1877.
25. Strömdahl, M., et al., *Time to Staphylococcus aureus blood culture positivity as a risk marker of infective endocarditis: a retrospective cohort study*. Clinical Infectious Diseases, 2025. **80**(4): p. 727-734.
26. Szubert, A., et al., *Predictors of recurrence, early treatment failure and death from Staphylococcus aureus bacteraemia: observational analyses within the ARREST trial*. Journal of Infection, 2019. **79**(4): p. 332-340.
27. Tubiana, S., et al., *The VIRSTA score, a prediction score to estimate risk of infective endocarditis and determine priority for echocardiography in patients with Staphylococcus aureus bacteremia*. J Infect, 2016. **72**(5): p. 544-53.
28. Wang, X., et al., *Inappropriate empirical antibiotic therapy was an independent risk factor of pediatric persistent S. aureus bloodstream infection*. European Journal of Pediatrics, 2023. **182**(2): p. 719-729.
29. Fowler, V.G., et al., *The 2023 Duke-International Society for Cardiovascular Infectious Diseases Criteria for Infective Endocarditis: Updating the Modified Duke Criteria*. Clin Infect Dis, 2023. **77**(4): p. 518-526.